

HASENKOPF



CUSTOM
SHOWER SYSTEM



CONTENT

CUSTOM SHOWER SYSTEM	4
SHOWER-WASHBASIN-UNIT	6
SHOWER ACCESSORIES	12
DESIGN	17
CUSTOM SHOWER - ADDITIONAL PROCESSING	18
CUSTOM SHOWER + INSTALLATION HEIGHTS	20
DIMENSIONS + DRAIN	21
MIRAKLON® SHOWER BASE	22
COLORS	24
ASSEMBLY	28

HASENKOPF

Since 1964, Hasenkopf has stood for craftsmanship, innovation and excellence. Today, we stand out as an expert in the processing of solid surface materials and a reliable supplier for our partners. With a variety of production techniques, we realize outstanding projects using premium materials. Specialised manufacturing, shaping and moulding procedures allow us to bring custom designs to life in areas such as bathroom design, living spaces, medical technology, building exteriors and indoor and outdoor projects. Our partners rely on our years of experience and our focus on handcrafted perfection. Thanks to our high standards for quality, we can create unique items, both on a one-off basis and in batch production. As a regional supply specialist, we offer our customers comprehensive service during planning and realization for every project.


Motivated by a profound enthusiasm for functional design, we create refined furniture collections that seamlessly blend into any bathroom aesthetic. A wide variety of other elements made from solid surface material can be used to complement our popular designs in a simple and stylish way. With our fixed size or custom design bathroom components the realisation of your bathroom dreams is something we can make happen. We make the simple things unique and the unique things simple.

Simply Special

CUSTOM SHOWER SYSTEM

A place of well-being, of peace and rest – the requirements for bathrooms are as diverse as the individual users themselves. For this reason, it is so important for us to be able to respond to each customer's ideas. With our custom shower system, we can tailor dimensions, shape, color or special processing to meet the requirements of each individual order.

Solid surface materials allow a almost unlimited design freedom compared to other materials and at the same time offer a variety of other advantages united in a single material.



ANTI-SLIP (CLASS C)




WARM, VELVETY FEEL



VARIETY OF COLORS



NON-POROUS SURFACE



REPAIR OPTIONS



EASY TO CLEAN

find out more





Installation height
Flush with the floor

Drain type
Rectangular drain with cover made of solid surface material

Additional processing options
Rear panel with seamless concave molding

Color
Corian® Glacier White

Shower-Washbasin-Unit
Intelligent all-in-one solution for small bathrooms
Attractive design with real wood surfaces

Additional processing
Illuminated niche in the rear wall and
real wood surface - oiled unbrushed oak

Color
Corian® Glacier White



SHOWER-WASHBASIN-UNIT

The shower-basin-combination can be adapted to the size of the room by simply selecting the width and length. The washbasin, glass wall and light are all adjustable in length, ensuring they always form a harmonious unit. They are crafted to the highest quality standards in our own manufactory. With short assembly times for the prefabricated modules thanks to our Hasenkopf service - everything from a single source (excluding fittings).

SHOWER



- Optionally available with glass door
- Seamless shower made of solid surface material
- Seamless inside corners with 5 mm radius
- No silicone
- Shower depth and width selectable
- Optionally with niche and optional lighting
- Concealed drain system with solid surface material cover
- Shower enclosure with attached toughened safety glass panel with mirror, including glass retaining bar
- Optionally with seating element

WASHBASIN AND UTENSIL CUPBOARD



- Washbasin with frame and seamlessly integrated basin constructed from solid surface material
- Including one or two drawers with full-extension runners and soft-close function
- Optionally with double sockets in the utensil cupboard and upper drawers
- Fronts and wall finishes made of solid surface material veneered with oak or reclaimed wood (optionally brushed)
- Also available in other colors or completely in white
- Optionally with angled door

SHOWER-WASHBASIN-UNIT

INSTALLATION WALL AND BLINDS



- Wall cladding with substructure for easy installation
- Optional cladding to adapt to room height
- Inspection panel with suspension fittings





SOLID SURFACE LUMINAIRE



- Optional illumination of the wash area thanks to perfect light placement
- Energy-efficient LED light with housing made of black solid surface material, veneered with real wood on both sides, similar to wooden fronts Furniture
- Steel cable attachment to the ceiling and fixing to the rear wall
- Light length is adapted to the length of the washbasin

TECHNICAL DRAWING

Technical dimensions of the shower-washbasin-unit in mm





Clever all-in-one solution
Efficient and quick installation through
custom prefabrication.
Flexibility in design with various sizes and
a wide range of colors

Shower-Washbasin-Unit
Consisting of a flush-to-floor shower,
a sink with an integrated towel holder,
and a mirror

Color
Corian® Artista Mist





Accessories range

Seamlessly integrated handle made of
solid surface material

Modular shower equipment

Available in two lengths - 790 mm and 1190 mm
Can also be retrofitted for already installed
solid surface showers



Color

Corian® Glacier White


SHOWER-ACCESSORIES-RANGE

TECHNICAL DRAWING


Technical data of the handle in a long and a short version with specifications in mm.
 With steel core (threaded rod) inside for reinforcement Tested with 150 kg



SHOWER HANDLES 1190 x 790 x 52 mm



SHOWER HANDLES 790 x 390 x 52 mm



SHOWER-ACCESSORIES-RANGE

FOOTREST



- Ergonomically shaped
- Seamlessly incorporated into the surface
- Slight bevel for better water drainage
- Can be retrofitted for already installed solid surface showers


NON SLIP FUNCTION



- Non-slip surface made of solid surface material through a special surface treatment
- Long-lasting effect
- Significant improvement of the existing slip class C for solid surface showers

TECHNICAL DRAWING

Technical data of the footrest in mm.





Installation height
Flush with the floor


Drain type
**Rectangular drain
with solid surface cover**

Additional processing options
**Rear panel
Niche without shelf
Cladding for rain shower**


Color
Corian® Glacier White

DESIGN


Depending on the requirements, the custom shower system can be optimally extended by adding an upstand made of solid surface material in the wall area. Thus, if desired, either a seamless transition between the shower and the tiled wall can be created or the entire wall can be covered.



Direct transition between shower tub and tiled wall



Shower tub with seamless upstand made of solid surface material as transition to the tiled wall
(selectable height, approx. 30-80 mm
material thickness 6 or 12 mm)



Shower tub with rear panel made of solid surface material as wall cladding
(height freely selectable
material thickness 12 mm)

ADDITIONAL PROCESSING

SEAT



- Seamlessly integrated into floor and wall
- Inside corner with radius for easy cleaning
- Freely selectable size
- Also available in angular design

NICHE



- Inside corner with radius for easy cleaning
- Seamlessly integrated into wall
- Freely selectable size
- Optionally available with shelf



Additional processing options

Rear panel
Niche with shelf
Seat

Color

HIMACS® Alpine White

THE JOURNEY TO YOUR PERSONALIZED SHOWER


In accordance with your personal ideas and the conditions in your bathroom the shower system is designed step by step and tailored to your requirements. First, the length, width and installation height of the shower tray will be decided very precisely. After that, the drain type and any additional designs are chosen. For example, rear panels, bench seats and niches can be added. Approximately 200 colors of solid surface materials are available for you to find exactly the right shade. Accessories such as drain sets or assembly kits can be added to your order as an optional extra.

- 1 Define installation height
- 2 Determine dimensions
- 3 Select drain type
- 4 Determine additional processing options
- 5 Select color
- 6 Prepare assembly

INSTALLATION HEIGHTS

FLUSH TO FLOOR INSTALLATION


A flush-to-floor shower with its minimalist character makes a big impression. As there are no steps between the shower area and the tiled floor, a flush floor shower is particularly suitable for barrier-free planning. However, the space required by the shower must be taken into account when installing the shower tray



SHOWER TRAY PLATFORM


The shower platform, featuring a step, elegantly stands out above the tile mirror, thereby emphasising the shower area. The space required for the siphon or drain cup must be taken into account for this installation height.

In this case, either a recess must be provided for when installing the floor, or an installation box must be integrated in the screed.




DIMENSIONS

Both the length and width of the shower tub can be configured flexibly. In addition, deviations to the angles and shape can also be implemented.




DRAIN

RECTANGULAR OR ROUND DRAIN WITH DRAIN COVER MADE OF SOLID SURFACE MATERIAL



Art. Nr. DW-ADCE

- Cover made of solid surface material
- Flush with the floor
- Color matching the shower tub
- 130 × 130 mm or 148 mm
- Optional drain set



Art. Nr. DW-ADCR

ROUND DRAIN WITH DRAIN COVER IN CHROME



Art. Nr. DW-AL

- Round design
- Chrome cover
- Including drain set
Geberit Uniflex D90

The drain position can be selected freely, taking into account minimum distances to the edge. Other drain designs are also possible on request.

MIRAKLON® SHOWER BASE

Shower trays made of MIRAKLON® in various basic sizes and designs - with a central drain position, an edge drain position or an inconspicuous wall drain system.

MIRAKLON® DW-WA WALL DRAIN



- Cast Miraklon® shower trays from Hasenkopf
- with approx. 2% leading to the drain
- Easy-to-clean inner corners of the drain area thanks to coving
- suitable as standard for drain sets with D: 90 mm (Geberit Uniflex D90 is supplied as an option)
- at least 63 mm depth required for flush floor installation
- Mounting kit optionally available

MIRAKLON® DW-RA EDGE DRAIN



- Cast Miraklon® shower trays from Hasenkopf
- with approx. 2% leading to the drain
- Easy-to-clean inner corners of the drain area thanks to coving
- suitable as standard for drain sets with D: 90 mm (Geberit Uniflex D90 is supplied as an option)
- at least 63 mm depth required for flush floor installation
- Mounting kit optionally available

MIRAKLON® DW-MA CENTRAL DRAIN



- Cast Miraklon® shower trays from Hasenkopf
- with approx. 2% leading to the drain
- Easy-to-clean inner corners of the drain area thanks to coving
- suitable as standard for drain sets with D: 90 mm (Geberit Uniflex D90 is supplied as an option)
- at least 63 mm depth required for flush floor installation
- Mounting kit optionally available




- Color-matched to the white tones of the leading panel manufacturers:
- Miraklon® Edelweiss matching Corian® Glacier White
 - Miraklon® Modern White matching Corian® Designer White
 - Miraklon® Classic White matching HIMACS® Alpine White

COLORS

OUR CLASSICS

Based on many years of experience in the processing of solid surface materials as well as the furnishing of various bath-designs, we have been able to continuously improve our custom shower system. As a result, six colors have emerged

from the diverse color spectrum of solid surface materials that are particularly well suited for processing in the shower area. We recommend these classics for our custom shower system.




VARIETY OF COLORS

In addition, many other solid surface material colors can also be used for the custom shower system. If you are looking for a color highlight, a marbled look or that special something for your custom shower, you can choose from all the available color options on our color chart. Please contact us in advance to discuss any special processing requirements.

Footrest, handle and rounded seat bench are not available in all colours. Colours on request.

colour finder





Installation height
Flush with the floor

Drain type
Rectangular drain
with cover made of
solid surface material

Additional processing options
Rear panel
Cladding for rain shower
Niches
Seamless connection
of shower and bathtub

Color
Corian® Carbon Concrete
Corian® Mint Ice



Installation height
Flush with the floor

Drain type
**Rectangular drain with cover
made of solid surface material**

Additional processing options
**Rear panel
Seat
Seamless connection of
shower and bathtub**

Color
**HIMACS® Diamond White
Corian® Carbon Aggregate**





Installation height
Flush with the floor

Drain type
**Rectangular drain
with cover made of
solid surface material**

Additional processing options
**Rear panel
Niche with shelf**

Color
Corian® Glacier White

ASSEMBLY


ACCESSORIES

For each custom shower system we offer matching accessories as an option.

- Geberit Uniflex D90 drain set
 - Standard
 - Space requirement under the shower min. 80 mm
 - Drainage 0,65 l/s
 - Low height
 - Space requirement under the shower min. 60 mm
 - Drainage 0,5 l/s
- Assembly kit
- Permanently elastic adhesive
- Solid surface adhesive with grinding set
- Optional: Gun for solid surface adhesive

Important - please note:

Custom showers with a low-profile installation and flush-to-floor mounting will require a recess in the floor. Please also take into account the space required for the drain set underneath the shower.



ASSEMBLY INSTRUCTIONS

To facilitate the assembly of our custom shower system, our assembly instructions will provide you with a step-by-step explanation of the installation. For proper assembly, please follow all processing, installation and usage instructions.

We gladly send you our assembly instructions for our showers. Please contact your responsible sales representative.

ASSEMBLY TRAINING

We also offer assembly trainings for our partners and customers, that teach the techniques required for a professional installation of our shower systems.

find out more





Installation height
Flush with the floor

Drain type
Rectangular drain
with cover made of
solid surface material

Additional processing options
Rear panel
Niche with shelf

Color
Corian® Glacier White

INQUIRIES & CONTACT DETAILS

T +49 8677 9847-655
ANFRAGE@HASENKOPF.DE

Editor and copyright

HASENKOPF Industrie Manufaktur GmbH, Stöcklstraße 1-2, 84561 Mehring, Germany
T +49 8677 9847-655 – anfrage@hasenkopf.de – www.hasenkopf.de

Trademarks and brands

Corian® and DuPont™ are brands or trademarks of DuPont.
HIMACS® is a registered trademark of LX Hausys Europe.
Hasenkopf, the Hasenkopf logo, Miraklon® and Frescata® are brands or trademarks of Hasenkopf Industrie Manufaktur GmbH.

INDIVIDUAL DESIGN

WWW.HASENKOPF.DE



COLOUR FINDER

You can easily find an overview of all colours in our colour finder.



CONFIGURATION

Design your own shape, size, colour and position.



PDF-GENERATOR

Compile inspirations and references individually into a PDF.



Simply Special

HASENKOPF Industrie Manufaktur GmbH, Stöcklstraße 1-2, 84561 Mehring, Germany
T +49 8677 9847 - 655 – anfrage@hasenkopf.de – www.hasenkopf.de



February | 2025